

Services

Description Lists all services found during an audit. The result is grouped by computer name.

Generated on 6/10/2015 5:20:46 PM

Generated by Cristi

Advanced Settings

Report items Services

Target Domain: DOCSECURITY;Domain: DOCSYNC

Grouped by 'Service' - Ascending AND 'Computer' - Ascending

Reviewed by _____ Reviewed Date _____ Signature _____

Services

Name	Description	Computers
Active Directory Certificate Services	Creates, manages, and removes X.509 certificates for applications such as S/MIME and SSL. If this service is stopped, certificates will not be created. If this service is disabled, any services that explicitly depend on it will fail to start.	2
Host Name	Account Name	Started Status
9-2K8R2-DC	LocalSystem	Automatic Started
9-2K8R2-DC3	LocalSystem	Automatic Started
Active Directory Domain Services	AD DS Domain Controller service. If this service is stopped, users will be unable to log on to the network. If this service is disabled, any services that explicitly depend on it will fail to start.	2
Host Name	Account Name	Started Status
9-2K8R2-DC	LocalSystem	Automatic Started
9-2K8R2-DC3	LocalSystem	Automatic Started
Active Directory Web Services	This service provides a Web Service interface to instances of the directory service (AD DS and AD LDS) that are running locally on this server. If this service is stopped or disabled, client applications, such as Active Directory PowerShell, will not be able to access or manage any directory service instances that are running locally on this server.	2
Host Name	Account Name	Started Status
9-2K8R2-DC	LocalSystem	Automatic Started
9-2K8R2-DC3	LocalSystem	Automatic Started
ActiveX Installer (AxInstSV)	Provides User Account Control validation for the installation of ActiveX controls from the Internet and enables management of ActiveX control installation based on Group Policy settings. This service is started on demand and if disabled the installation of ActiveX controls will behave according to default browser settings.	2
Host Name	Account Name	Started Status
9-7X64-011	LocalSystem	Manual Stopped
9-7X64-401A	LocalSystem	Manual Stopped
Adaptive Brightness	Monitors ambient light sensors to detect changes in ambient light and adjust the display brightness. If this service is stopped or disabled, the display brightness will not adapt to lighting conditions.	2
Host Name	Account Name	Started Status
9-7X64-011	NT AUTHORITY\LocalService	Manual Stopped
9-7X64-401A	NT AUTHORITY\LocalService	Manual Stopped
Adobe Acrobat Update Service	Adobe Acrobat Updater keeps your Adobe software up to date.	2
Host Name	Account Name	Started Status
9-2K8X64-011	LocalSystem	Automatic Started
9-7X64-401A	LocalSystem	Automatic Started
Application Experience	Processes application compatibility cache requests for applications as they are launched	6
Host Name	Account Name	Started Status
9-7X64-011	localSystem	Manual Stopped
9-2K8R2-DC	localSystem	Manual Stopped
9-2K8X64-011	localSystem	Automatic Started
9-2K8R2-DC3	localSystem	Manual Stopped
9-7X64-401A	localSystem	Manual Stopped
9-2K8R2-401	localSystem	Manual Stopped
Application Host Helper Service	Provides administrative services for IIS, for example configuration history and Application Pool account mapping. If this service is stopped, configuration history and locking down files or directories with Application Pool specific Access Control Entries will not work.	4
Host Name	Account Name	Started Status

9-7X64-011	LocalSystem	Automatic	Started
9-2K8R2-DC	LocalSystem	Automatic	Started
9-2K8R2-DC3	LocalSystem	Automatic	Started
9-2K8R2-401	LocalSystem	Automatic	Started
Application Identity	Determines and verifies the identity of an application. Disabling this service will prevent AppLocker from being enforced.		5
Host Name	Account Name	Started	Status
9-7X64-011	NT Authority\LocalService	Manual	Stopped
9-2K8R2-DC	NT Authority\LocalService	Manual	Stopped
9-2K8R2-DC3	NT Authority\LocalService	Manual	Stopped
9-7X64-401A	NT Authority\LocalService	Manual	Stopped
9-2K8R2-401	NT Authority\LocalService	Manual	Stopped
Application Information	Facilitates the running of interactive applications with additional administrative privileges. If this service is stopped, users will be unable to launch applications with the additional administrative privileges they may require to perform desired user tasks.		6
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC	LocalSystem	Manual	Stopped
9-2K8X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC3	LocalSystem	Manual	Stopped
9-7X64-401A	LocalSystem	Manual	Stopped
9-2K8R2-401	LocalSystem	Manual	Stopped
Application Layer Gateway Service	Provides support for 3rd party protocol plug-ins for Internet Connection Sharing		6
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-DC	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8X64-011	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-DC3	NT AUTHORITY\LocalService	Manual	Stopped
9-7X64-401A	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-401	NT AUTHORITY\LocalService	Manual	Stopped
Application Management	Processes installation, removal, and enumeration requests for software deployed through Group Policy. If the service is disabled, users will be unable to install, remove, or enumerate software deployed through Group Policy. If this service is disabled, any services that explicitly depend on it will fail to start.		6
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC	LocalSystem	Manual	Stopped
9-2K8X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC3	LocalSystem	Manual	Stopped
9-7X64-401A	LocalSystem	Manual	Stopped
9-2K8R2-401	LocalSystem	Manual	Started
ASP.NET State Service	Provides support for out-of-process session states for ASP.NET. If this service is stopped, out-of-process requests will not be processed. If this service is disabled, any services that explicitly depend on it will fail to start.		5
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\NetworkService	Disabled	Stopped
9-2K8X64-011	NT AUTHORITY\NetworkService	Disabled	Stopped
9-2K8R2-DC3	NT AUTHORITY\NetworkService	Disabled	Stopped
9-7X64-401A	NT AUTHORITY\NetworkService	Manual	Stopped
9-2K8R2-401	NT AUTHORITY\NetworkService	Disabled	Stopped

Background Intelligent Transfer Service	Transfers files in the background using idle network bandwidth. If the service is disabled, then any applications that depend on BITS, such as Windows Update or MSN Explorer, will be unable to automatically download programs and other information.	6
Host Name	Account Name	Started Status
9-7X64-011	LocalSystem	Manual Started
9-2K8R2-DC	LocalSystem	Manual Stopped
9-2K8X64-011	LocalSystem	Automatic Started
9-2K8R2-DC3	LocalSystem	Manual Stopped
9-7X64-401A	LocalSystem	Manual Stopped
9-2K8R2-401	LocalSystem	Manual Started
Base Filtering Engine	The Base Filtering Engine (BFE) is a service that manages firewall and Internet Protocol security (IPsec) policies and implements user mode filtering. Stopping or disabling the BFE service will significantly reduce the security of the system. It will also result in unpredictable behavior in IPsec management and firewall applications.	6
Host Name	Account Name	Started Status
9-7X64-011	NT AUTHORITY\LocalService	Automatic Started
9-2K8R2-DC	NT AUTHORITY\LocalService	Automatic Started
9-2K8X64-011	NT AUTHORITY\LocalService	Automatic Started
9-2K8R2-DC3	NT AUTHORITY\LocalService	Automatic Started
9-7X64-401A	NT AUTHORITY\LocalService	Automatic Started
9-2K8R2-401	NT AUTHORITY\LocalService	Automatic Started
BitLocker Drive Encryption Service	N/A	2
Host Name	Account Name	Started Status
9-7X64-011	localSystem	Manual Stopped
9-7X64-401A	localSystem	Manual Stopped
Block Level Backup Engine Service	The WBENGINE service is used by Windows Backup to perform backup and recovery operations. If this service is stopped by a user, it may cause the currently running backup or recovery operation to fail. Disabling this service may disable backup and recovery operations using Windows Backup on this computer.	2
Host Name	Account Name	Started Status
9-7X64-011	localSystem	Manual Stopped
9-7X64-401A	localSystem	Manual Stopped
Bluetooth Support Service	The Bluetooth service supports discovery and association of remote Bluetooth devices. Stopping or disabling this service may cause already installed Bluetooth devices to fail to operate properly and prevent new devices from being discovered or associated.	2
Host Name	Account Name	Started Status
9-7X64-011	NT AUTHORITY\LocalService	Manual Stopped
9-7X64-401A	NT AUTHORITY\LocalService	Manual Stopped
Bonjour Service	Enables hardware devices and software services to automatically configure themselves on the network and advertise their presence.	1
Host Name	Account Name	Started Status
9-7X64-011	LocalSystem	Automatic Started
BranchCache	This service caches network content from peers on the local subnet.	2
Host Name	Account Name	Started Status
9-7X64-011	NT AUTHORITY\NetworkService	Manual Stopped
9-7X64-401A	NT AUTHORITY\NetworkService	Manual Stopped
Certificate Propagation	Copies user certificates and root certificates from smart cards into the current user's certificate store, detects when a smart card is inserted into a smart card reader, and, if needed, installs the smart card Plug and Play minidriver.	6
Host Name	Account Name	Started Status
9-7X64-011	LocalSystem	Manual Stopped

9-2K8R2-DC	LocalSystem	Manual	Started
9-2K8X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC3	LocalSystem	Manual	Started
9-7X64-401A	LocalSystem	Manual	Started
9-2K8R2-401	LocalSystem	Manual	Started
CNG Key Isolation	The CNG key isolation service is hosted in the LSA process. The service provides key process isolation to private keys and associated cryptographic operations as required by the Common Criteria. The service stores and uses long-lived keys in a secure process complying with Common Criteria requirements.		6
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Manual	Started
9-2K8R2-DC	LocalSystem	Manual	Started
9-2K8X64-011	LocalSystem	Manual	Started
9-2K8R2-DC3	LocalSystem	Manual	Started
9-7X64-401A	LocalSystem	Manual	Started
9-2K8R2-401	LocalSystem	Manual	Started
COM+ Event System	Supports System Event Notification Service (SENS), which provides automatic distribution of events to subscribing Component Object Model (COM) components. If the service is stopped, SENS will close and will not be able to provide logon and logoff notifications. If this service is disabled, any services that explicitly depend on it will fail to start.		6
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\LocalService	Automatic	Started
9-2K8R2-DC	NT AUTHORITY\LocalService	Automatic	Started
9-2K8X64-011	NT AUTHORITY\LocalService	Automatic	Started
9-2K8R2-DC3	NT AUTHORITY\LocalService	Automatic	Started
9-7X64-401A	NT AUTHORITY\LocalService	Automatic	Started
9-2K8R2-401	NT AUTHORITY\LocalService	Automatic	Started
COM+ System Application	Manages the configuration and tracking of Component Object Model (COM)+-based components. If the service is stopped, most COM+-based components will not function properly. If this service is disabled, any services that explicitly depend on it will fail to start.		6
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Manual	Started
9-2K8R2-DC	LocalSystem	Manual	Started
9-2K8X64-011	LocalSystem	Manual	Started
9-2K8R2-DC3	LocalSystem	Manual	Started
9-7X64-401A	LocalSystem	Manual	Started
9-2K8R2-401	LocalSystem	Manual	Started
Computer Browser	Maintains an updated list of computers on the network and supplies this list to computers designated as browsers. If this service is stopped, this list will not be updated or maintained. If this service is disabled, any services that explicitly depend on it will fail to start.		6
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Manual	Started
9-2K8R2-DC	LocalSystem	Disabled	Stopped
9-2K8X64-011	LocalSystem	Disabled	Stopped
9-2K8R2-DC3	LocalSystem	Disabled	Stopped
9-7X64-401A	LocalSystem	Manual	Started
9-2K8R2-401	LocalSystem	Disabled	Stopped
Credential Manager	Provides secure storage and retrieval of credentials to users, applications and security service packages.		5
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Manual	Stopped

9-2K8R2-DC	LocalSystem	Manual	Stopped
9-2K8R2-DC3	LocalSystem	Manual	Stopped
9-7X64-401A	LocalSystem	Manual	Stopped
9-2K8R2-401	LocalSystem	Manual	Stopped
Cryptographic Services	N/A		6
Host Name	Account Name	Started	Status
9-7X64-011	NT Authority\NetworkService	Automatic	Started
9-2K8R2-DC	NT Authority\NetworkService	Automatic	Started
9-2K8X64-011	NT Authority\NetworkService	Automatic	Started
9-2K8R2-DC3	NT Authority\NetworkService	Automatic	Started
9-7X64-401A	NT Authority\NetworkService	Automatic	Started
9-2K8R2-401	NT Authority\NetworkService	Automatic	Started
DCOM Server Process Launcher	The DCOMLAUNCH service launches COM and DCOM servers in response to object activation requests. If this service is stopped or disabled, programs using COM or DCOM will not function properly. It is strongly recommended that you have the DCOMLAUNCH service running.		6
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Automatic	Started
9-2K8R2-DC	LocalSystem	Automatic	Started
9-2K8X64-011	LocalSystem	Automatic	Started
9-2K8R2-DC3	LocalSystem	Automatic	Started
9-7X64-401A	LocalSystem	Automatic	Started
9-2K8R2-401	LocalSystem	Automatic	Started
Desktop Window Manager Session Manager	Provides Desktop Window Manager startup and maintenance services		6
Host Name	Account Name	Started	Status
9-7X64-011	localSystem	Automatic	Started
9-2K8R2-DC	localSystem	Automatic	Started
9-2K8X64-011	localSystem	Automatic	Started
9-2K8R2-DC3	localSystem	Automatic	Started
9-7X64-401A	localSystem	Automatic	Started
9-2K8R2-401	localSystem	Automatic	Started
DFS Namespace	Enables you to group shared folders located on different servers into one or more logically structured namespaces. Each namespace appears to users as a single shared folder with a series of subfolders.		2
Host Name	Account Name	Started	Status
9-2K8R2-DC	LocalSystem	Automatic	Started
9-2K8R2-DC3	LocalSystem	Automatic	Started
DFS Replication	Enables you to synchronize folders on multiple servers across local or wide area network (WAN) network connections. This service uses the Remote Differential Compression (RDC) protocol to update only the portions of files that have changed since the last replication.		2
Host Name	Account Name	Started	Status
9-2K8R2-DC	LocalSystem	Automatic	Started
9-2K8R2-DC3	LocalSystem	Automatic	Started
DHCP Client	Registers and updates IP addresses and DNS records for this computer. If this service is stopped, this computer will not receive dynamic IP addresses and DNS updates. If this service is disabled, any services that explicitly depend on it will fail to start.		6
Host Name	Account Name	Started	Status
9-7X64-011	NT Authority\LocalService	Automatic	Started
9-2K8R2-DC	NT Authority\LocalService	Automatic	Started
9-2K8X64-011	NT Authority\LocalService	Automatic	Started

9-2K8R2-DC3	NT Authority\LocalService	Automatic	Started
9-7X64-401A	NT Authority\LocalService	Automatic	Started
9-2K8R2-401	NT Authority\LocalService	Automatic	Started
Diagnostic Policy Service	The Diagnostic Policy Service enables problem detection, troubleshooting and resolution for Windows components. If this service is stopped, diagnostics will no longer function.		6
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\LocalService	Automatic	Started
9-2K8R2-DC	NT AUTHORITY\LocalService	Automatic	Started
9-2K8X64-011	NT AUTHORITY\LocalService	Automatic	Started
9-2K8R2-DC3	NT AUTHORITY\LocalService	Automatic	Started
9-7X64-401A	NT AUTHORITY\LocalService	Automatic	Started
9-2K8R2-401	NT AUTHORITY\LocalService	Automatic	Started
Diagnostic Service Host	The Diagnostic Service Host is used by the Diagnostic Policy Service to host diagnostics that need to run in a Local Service context. If this service is stopped, any diagnostics that depend on it will no longer function.		6
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\LocalService	Manual	Started
9-2K8R2-DC	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8X64-011	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-DC3	NT AUTHORITY\LocalService	Manual	Stopped
9-7X64-401A	NT AUTHORITY\LocalService	Manual	Started
9-2K8R2-401	NT AUTHORITY\LocalService	Manual	Stopped
Diagnostic System Host	The Diagnostic System Host is used by the Diagnostic Policy Service to host diagnostics that need to run in a Local System context. If this service is stopped, any diagnostics that depend on it will no longer function.		6
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC	LocalSystem	Manual	Started
9-2K8X64-011	LocalSystem	Manual	Started
9-2K8R2-DC3	LocalSystem	Manual	Stopped
9-7X64-401A	LocalSystem	Manual	Stopped
9-2K8R2-401	LocalSystem	Manual	Stopped
Disk Defragmenter	Provides Disk Defragmentation Capabilities.		5
Host Name	Account Name	Started	Status
9-7X64-011	localSystem	Manual	Stopped
9-2K8R2-DC	localSystem	Manual	Stopped
9-2K8R2-DC3	localSystem	Manual	Stopped
9-7X64-401A	localSystem	Manual	Stopped
9-2K8R2-401	localSystem	Manual	Stopped
Distributed Link Tracking Client	Maintains links between NTFS files within a computer or across computers in a network.		6
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Automatic	Started
9-2K8R2-DC	LocalSystem	Manual	Stopped
9-2K8X64-011	LocalSystem	Automatic	Started
9-2K8R2-DC3	LocalSystem	Manual	Stopped
9-7X64-401A	LocalSystem	Automatic	Started
9-2K8R2-401	LocalSystem	Automatic	Started
Distributed Transaction Coordinator	Coordinates transactions that span multiple resource managers, such as databases, message queues, and file systems. If this service is stopped, these transactions will fail. If this service is disabled, any services that explicitly depend on it will fail to start.		6

Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\NetworkService	Manual	Started
9-2K8R2-DC	NT AUTHORITY\NetworkService	Automatic	Started
9-2K8X64-011	NT AUTHORITY\NetworkService	Automatic	Started
9-2K8R2-DC3	NT AUTHORITY\NetworkService	Automatic	Started
9-7X64-401A	NT AUTHORITY\NetworkService	Manual	Started
9-2K8R2-401	NT AUTHORITY\NetworkService	Automatic	Started
DNS Client	The DNS Client service (dnscache) caches Domain Name System (DNS) names and registers the full computer name for this computer. If the service is stopped, DNS names will continue to be resolved. However, the results of DNS name queries will not be cached and the computer's name will not be registered. If the service is disabled, any services that explicitly depend on it will fail to start.		6
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\NetworkService	Automatic	Started
9-2K8R2-DC	NT AUTHORITY\NetworkService	Automatic	Started
9-2K8X64-011	NT AUTHORITY\NetworkService	Automatic	Started
9-2K8R2-DC3	NT AUTHORITY\NetworkService	Automatic	Started
9-7X64-401A	NT AUTHORITY\NetworkService	Automatic	Started
9-2K8R2-401	NT AUTHORITY\NetworkService	Automatic	Started
DNS Server	Enables DNS clients to resolve DNS names by answering DNS queries and dynamic DNS update requests. If this service is stopped, DNS updates will not occur. If this service is disabled, any services that explicitly depend on it will fail to start.		2
Host Name	Account Name	Started	Status
9-2K8R2-DC	LocalSystem	Automatic	Started
9-2K8R2-DC3	LocalSystem	Automatic	Started
DocSecurity Agent	DocSecurity Agent Service		2
Host Name	Account Name	Started	Status
9-2K8X64-011	LocalSystem	Automatic	Started
9-7X64-401A	LocalSystem	Automatic	Started
DocSecurity Logon	DocSecurity Logon Service		2
Host Name	Account Name	Started	Status
9-2K8X64-011	LocalSystem	Automatic	Started
9-7X64-401A	LocalSystem	Automatic	Started
DocSecurity Server	DocSecurity Server Service		2
Host Name	Account Name	Started	Status
9-7X64-011	DOCSYNC.ts\administrator	Automatic	Started
9-2K8R2-401	docsecurity.ts\Administrator	Automatic	Started
Encrypting File System (EFS)	Provides the core file encryption technology used to store encrypted files on NTFS file system volumes. If this service is stopped or disabled, applications will be unable to access encrypted files.		5
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Automatic	Started
9-2K8R2-DC	LocalSystem	Manual	Started
9-2K8R2-DC3	LocalSystem	Manual	Stopped
9-7X64-401A	LocalSystem	Automatic	Started
9-2K8R2-401	LocalSystem	Automatic	Started
Extensible Authentication Protocol	The Extensible Authentication Protocol (EAP) service provides network authentication in such scenarios as 802.1x wired and wireless, VPN, and Network Access Protection (NAP). EAP also provides application programming interfaces (APIs) that are used by network access clients, including wireless and VPN clients, during the authentication process. If you disable this service, this computer is prevented from accessing networks that require EAP authentication.		6

Host Name	Account Name	Started	Status
9-7X64-011	localSystem	Manual	Stopped
9-2K8R2-DC	localSystem	Manual	Stopped
9-2K8X64-011	localSystem	Manual	Stopped
9-2K8R2-DC3	localSystem	Manual	Stopped
9-7X64-401A	localSystem	Manual	Stopped
9-2K8R2-401	localSystem	Manual	Stopped
Fax	Enables you to send and receive faxes, utilizing fax resources available on this computer or on the network.		2
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\NetworkService	Manual	Stopped
9-7X64-401A	NT AUTHORITY\NetworkService	Manual	Stopped
File Replication	Synchronizes folders with file servers that use File Replication Service (FRS) instead of the newer DFS Replication technology.		1
Host Name	Account Name	Started	Status
9-2K8R2-DC3	LocalSystem	Disabled	Stopped
File Replication Service	Synchronizes folders with file servers that use File Replication Service (FRS) instead of the newer DFS Replication technology.		1
Host Name	Account Name	Started	Status
9-2K8R2-DC	LocalSystem	Automatic	Started
Function Discovery Provider Host	The FDPHOST service hosts the Function Discovery (FD) network discovery providers. These FD providers supply network discovery services for the Simple Services Discovery Protocol (SSDP) and Web Services – Discovery (WS-D) protocol. Stopping or disabling the FDPHOST service will disable network discovery for these protocols when using FD. When this service is unavailable, network services using FD and relying on these discovery protocols will be unable to find network devices or resources.		6
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\LocalService	Manual	Started
9-2K8R2-DC	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8X64-011	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-DC3	NT AUTHORITY\LocalService	Manual	Stopped
9-7X64-401A	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-401	NT AUTHORITY\LocalService	Manual	Started
Function Discovery Resource Publication	Publishes this computer and resources attached to this computer so they can be discovered over the network. If this service is stopped, network resources will no longer be published and they will not be discovered by other computers on the network.		6
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-DC	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8X64-011	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-DC3	NT AUTHORITY\LocalService	Manual	Stopped
9-7X64-401A	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-401	NT AUTHORITY\LocalService	Manual	Stopped
GFI SessionManager Agent	GFI SessionManager Agent Service		1
Host Name	Account Name	Started	Status
9-2K8R2-DC	LocalSystem	Automatic	Stopped
GFI Vizual Agent Service	Runs GFI Vizual Agent		1
Host Name	Account Name	Started	Status
9-2K8R2-DC	LocalSystem	Automatic	Started

Google Software Updater	Google Updater keeps your Google software up to date. If Google Updater Service is disabled or stopped, your Google software will not be kept up to date, meaning security vulnerabilities that may arise cannot be fixed and features may not work.	1	
Host Name	Account Name	Started	Status
9-2K8X64-011	LocalSystem	Manual	Stopped
Google Update Service (gupdate)	Keeps your Google software up to date. If this service is disabled or stopped, your Google software will not be kept up to date, meaning security vulnerabilities that may arise cannot be fixed and features may not work. This service uninstalls itself when there is no Google software using it.	3	
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Automatic	Stopped
9-2K8X64-011	LocalSystem	Automatic	Stopped
9-2K8R2-401	LocalSystem	Automatic	Stopped
Google Update Service (gupdatem)	Keeps your Google software up to date. If this service is disabled or stopped, your Google software will not be kept up to date, meaning security vulnerabilities that may arise cannot be fixed and features may not work. This service uninstalls itself when there is no Google software using it.	3	
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Manual	Stopped
9-2K8X64-011	LocalSystem	Manual	Stopped
9-2K8R2-401	LocalSystem	Manual	Stopped
Group Policy Client	The service is responsible for applying settings configured by administrators for the computer and users through the Group Policy component. If the service is stopped or disabled, the settings will not be applied and applications and components will not be manageable through Group Policy. Any components or applications that depend on the Group Policy component might not be functional if the service is stopped or disabled.	6	
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Automatic	Started
9-2K8R2-DC	LocalSystem	Automatic	Started
9-2K8X64-011	LocalSystem	Automatic	Started
9-2K8R2-DC3	LocalSystem	Automatic	Started
9-7X64-401A	LocalSystem	Automatic	Started
9-2K8R2-401	LocalSystem	Automatic	Started
Health Key and Certificate Management	Provides X.509 certificate and key management services for the Network Access Protection Agent (NAPAgent). Enforcement technologies that use X.509 certificates may not function properly without this service	6	
Host Name	Account Name	Started	Status
9-7X64-011	localSystem	Manual	Stopped
9-2K8R2-DC	localSystem	Manual	Stopped
9-2K8X64-011	localSystem	Manual	Stopped
9-2K8R2-DC3	localSystem	Manual	Stopped
9-7X64-401A	localSystem	Manual	Stopped
9-2K8R2-401	localSystem	Manual	Stopped
HomeGroup Listener	Makes local computer changes associated with configuration and maintenance of the homegroup-joined computer. If this service is stopped or disabled, your computer will not work properly in a homegroup and your homegroup might not work properly. It is recommended that you keep this service running.	2	
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Manual	Stopped
9-7X64-401A	LocalSystem	Manual	Stopped
HomeGroup Provider	Performs networking tasks associated with configuration and maintenance of homegroups. If this service is stopped or disabled, your computer will be unable to detect other homegroups and your homegroup might not work properly. It is recommended that you keep this service running.	2	

Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\LocalService	Manual	Stopped
9-7X64-401A	NT AUTHORITY\LocalService	Manual	Stopped
Human Interface Device Access	Enables generic input access to Human Interface Devices (HID), which activates and maintains the use of predefined hot buttons on keyboards, remote controls, and other multimedia devices. If this service is stopped, hot buttons controlled by this service will no longer function. If this service is disabled, any services that explicitly depend on it will fail to start.		6
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC	LocalSystem	Manual	Stopped
9-2K8X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC3	LocalSystem	Manual	Stopped
9-7X64-401A	LocalSystem	Manual	Stopped
9-2K8R2-401	LocalSystem	Manual	Stopped
IKE and AuthIP Modules	IPsec Keying	N/A	6
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Automatic	Started
9-2K8R2-DC	LocalSystem	Automatic	Started
9-2K8X64-011	LocalSystem	Automatic	Started
9-2K8R2-DC3	LocalSystem	Automatic	Started
9-7X64-401A	LocalSystem	Automatic	Started
9-2K8R2-401	LocalSystem	Automatic	Started
Interactive Services Detection	Enables user notification of user input for interactive services, which enables access to dialogs created by interactive services when they appear. If this service is stopped, notifications of new interactive service dialogs will no longer function and there might not be access to interactive service dialogs. If this service is disabled, both notifications of and access to new interactive service dialogs will no longer function.		6
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC	LocalSystem	Manual	Started
9-2K8X64-011	LocalSystem	Manual	Started
9-2K8R2-DC3	LocalSystem	Manual	Stopped
9-7X64-401A	LocalSystem	Manual	Stopped
9-2K8R2-401	LocalSystem	Manual	Started
Internet Connection Sharing (ICS)	Provides network address translation, addressing, name resolution and/or intrusion prevention services for a home or small office network.		6
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Disabled	Stopped
9-2K8R2-DC	LocalSystem	Disabled	Stopped
9-2K8X64-011	LocalSystem	Disabled	Stopped
9-2K8R2-DC3	LocalSystem	Disabled	Stopped
9-7X64-401A	LocalSystem	Disabled	Stopped
9-2K8R2-401	LocalSystem	Disabled	Stopped
Internet Explorer ETW Collector Service	ETW Collector Service for Internet Explorer. When running, this service collects real time ETW events and processes them.		1
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Manual	Stopped

Intersite Messaging	Enables messages to be exchanged between computers running Windows Server sites. If this service is stopped, messages will not be exchanged, nor will site routing information be calculated for other services. If this service is disabled, any services that explicitly depend on it will fail to start.	2
Host Name	Account Name	Started Status
9-2K8R2-DC	LocalSystem	Automatic Started
9-2K8R2-DC3	LocalSystem	Automatic Started
IP Helper	Provides tunnel connectivity using IPv6 transition technologies (6to4, ISATAP, Port Proxy, and Teredo), and IP-HTTPS. If this service is stopped, the computer will not have the enhanced connectivity benefits that these technologies offer.	6
Host Name	Account Name	Started Status
9-7X64-011	LocalSystem	Automatic Started
9-2K8R2-DC	LocalSystem	Automatic Started
9-2K8X64-011	LocalSystem	Automatic Started
9-2K8R2-DC3	LocalSystem	Automatic Started
9-7X64-401A	LocalSystem	Automatic Started
9-2K8R2-401	LocalSystem	Automatic Started
IPsec Policy Agent	N/A	6
Host Name	Account Name	Started Status
9-7X64-011	NT Authority\NetworkService	Manual Started
9-2K8R2-DC	NT Authority\NetworkService	Manual Started
9-2K8X64-011	NT Authority\NetworkService	Automatic Started
9-2K8R2-DC3	NT Authority\NetworkService	Manual Started
9-7X64-401A	NT Authority\NetworkService	Manual Started
9-2K8R2-401	NT Authority\NetworkService	Manual Started
Kerberos Key Distribution Center	On domain controllers this service enables users to log on to the network using the Kerberos authentication protocol. If this service is stopped on a domain controller, users will be unable to log on to the network. If this service is disabled, any services that explicitly depend on it will fail to start.	2
Host Name	Account Name	Started Status
9-2K8R2-DC	LocalSystem	Automatic Started
9-2K8R2-DC3	LocalSystem	Automatic Started
KtmRm for Distributed Transaction Coordinator	Coordinates transactions between the Distributed Transaction Coordinator (MSDTC) and the Kernel Transaction Manager (KTM). If it is not needed, it is recommended that this service remain stopped. If it is needed, both MSDTC and KTM will start this service automatically. If this service is disabled, any MSDTC transaction interacting with a Kernel Resource Manager will fail and any services that explicitly depend on it will fail to start.	6
Host Name	Account Name	Started Status
9-7X64-011	NT AUTHORITY\NetworkService	Manual Stopped
9-2K8R2-DC	NT AUTHORITY\NetworkService	Manual Stopped
9-2K8X64-011	NT AUTHORITY\NetworkService	Automatic Started
9-2K8R2-DC3	NT AUTHORITY\NetworkService	Manual Stopped
9-7X64-401A	NT AUTHORITY\NetworkService	Manual Stopped
9-2K8R2-401	NT AUTHORITY\NetworkService	Manual Stopped
Link-Layer Topology Discovery Mapper	Creates a Network Map, consisting of PC and device topology (connectivity) information, and metadata describing each PC and device. If this service is disabled, the Network Map will not function properly.	6
Host Name	Account Name	Started Status
9-7X64-011	NT AUTHORITY\LocalService	Manual Stopped
9-2K8R2-DC	NT AUTHORITY\LocalService	Manual Stopped
9-2K8X64-011	NT AUTHORITY\LocalService	Manual Stopped
9-2K8R2-DC3	NT AUTHORITY\LocalService	Manual Stopped

9-7X64-401A	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-401	NT AUTHORITY\LocalService	Manual	Stopped
Media Center Extender Service	Allows Media Center Extenders to locate and connect to the computer.		2
Host Name	Account Name	Started	Status
9-7X64-011	NT Authority\LocalService	Disabled	Stopped
9-7X64-401A	NT Authority\LocalService	Disabled	Stopped
Microsoft .NET Framework NGEN v2.0.50727_X64	Microsoft .NET Framework NGEN		6
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Disabled	Stopped
9-2K8R2-DC	LocalSystem	Manual	Stopped
9-2K8X64-011	LocalSystem	Disabled	Stopped
9-2K8R2-DC3	LocalSystem	Disabled	Stopped
9-7X64-401A	LocalSystem	Manual	Stopped
9-2K8R2-401	LocalSystem	Disabled	Stopped
Microsoft .NET Framework NGEN v2.0.50727_X86	Microsoft .NET Framework NGEN		6
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Disabled	Stopped
9-2K8R2-DC	LocalSystem	Manual	Stopped
9-2K8X64-011	LocalSystem	Disabled	Stopped
9-2K8R2-DC3	LocalSystem	Disabled	Stopped
9-7X64-401A	LocalSystem	Manual	Stopped
9-2K8R2-401	LocalSystem	Disabled	Stopped
Microsoft .NET Framework NGEN v4.0.30319_X64	Microsoft .NET Framework NGEN		5
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Automatic	Stopped
9-2K8X64-011	LocalSystem	Automatic	Stopped
9-2K8R2-DC3	LocalSystem	Automatic	Stopped
9-7X64-401A	LocalSystem	Automatic	Stopped
9-2K8R2-401	LocalSystem	Automatic	Stopped
Microsoft .NET Framework NGEN v4.0.30319_X86	Microsoft .NET Framework NGEN		5
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Automatic	Stopped
9-2K8X64-011	LocalSystem	Automatic	Stopped
9-2K8R2-DC3	LocalSystem	Automatic	Stopped
9-7X64-401A	LocalSystem	Automatic	Stopped
9-2K8R2-401	LocalSystem	Automatic	Stopped
Microsoft Fibre Channel Platform Registration Service	Registers the platform with all available Fibre Channel fabrics, and maintains the registrations.		4
Host Name	Account Name	Started	Status
9-2K8R2-DC	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8X64-011	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-DC3	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-401	NT AUTHORITY\LocalService	Manual	Stopped
Microsoft iSCSI Initiator Service	Manages Internet SCSI (iSCSI) sessions from this computer to remote iSCSI target devices. If this service is stopped, this computer will not be able to login or access iSCSI targets. If this service is disabled, any services that explicitly depend on it will fail to start.		6

Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC	LocalSystem	Manual	Stopped
9-2K8X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC3	LocalSystem	Manual	Stopped
9-7X64-401A	LocalSystem	Manual	Stopped
9-2K8R2-401	LocalSystem	Manual	Stopped
Microsoft SharePoint Workspace Audit Service	N/A		1
Host Name	Account Name	Started	Status
9-2K8X64-011	NT AUTHORITY\LocalService	Manual	Stopped
Microsoft Software Shadow Copy Provider	Manages software-based volume shadow copies taken by the Volume Shadow Copy service. If this service is stopped, software-based volume shadow copies cannot be managed. If this service is disabled, any services that explicitly depend on it will fail to start.		6
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC	LocalSystem	Manual	Stopped
9-2K8X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC3	LocalSystem	Manual	Stopped
9-7X64-401A	LocalSystem	Manual	Stopped
9-2K8R2-401	LocalSystem	Manual	Stopped
Mozilla Maintenance Service	Serviciul de mentenanță Mozilla se asigură că aveți cea mai recentă și cea mai sigură versiune de Mozilla Firefox pe calculator. Menținerea Firefox actualizat este foarte importantă pentru securitatea dumnevoastră online, iar Mozilla recomandă să păstrați acest serviciu activat.		4
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC3	LocalSystem	Manual	Stopped
9-7X64-401A	LocalSystem	Manual	Stopped
9-2K8R2-401	LocalSystem	Manual	Stopped
Multimedia Class Scheduler	Enables relative prioritization of work based on system-wide task priorities. This is intended mainly for multimedia applications. If this service is stopped, individual tasks resort to their default priority.		6
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Automatic	Stopped
9-2K8R2-DC	LocalSystem	Manual	Stopped
9-2K8X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC3	LocalSystem	Manual	Stopped
9-7X64-401A	LocalSystem	Automatic	Stopped
9-2K8R2-401	LocalSystem	Manual	Stopped
Net.Msmq Listener Adapter	Receives activation requests over the net.msmq and msmq.formatname protocols and passes them to the Windows Process Activation Service.		6
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\NetworkService	Disabled	Stopped
9-2K8R2-DC	NT AUTHORITY\NetworkService	Disabled	Stopped
9-2K8X64-011	NT AUTHORITY\NetworkService	Disabled	Stopped
9-2K8R2-DC3	NT AUTHORITY\NetworkService	Disabled	Stopped
9-7X64-401A	NT AUTHORITY\NetworkService	Disabled	Stopped
9-2K8R2-401	NT AUTHORITY\NetworkService	Disabled	Stopped
Net.Pipe Listener Adapter	Receives activation requests over the net.pipe protocol and passes them to the Windows Process Activation Service.		6

Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\LocalService	Disabled	Stopped
9-2K8R2-DC	NT AUTHORITY\LocalService	Automatic	Started
9-2K8X64-011	NT AUTHORITY\LocalService	Disabled	Stopped
9-2K8R2-DC3	NT AUTHORITY\LocalService	Disabled	Stopped
9-7X64-401A	NT AUTHORITY\LocalService	Disabled	Stopped
9-2K8R2-401	NT AUTHORITY\LocalService	Disabled	Stopped
Net.Tcp Listener Adapter	Receives activation requests over the net.tcp protocol and passes them to the Windows Process Activation Service.		6
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\LocalService	Disabled	Stopped
9-2K8R2-DC	NT AUTHORITY\LocalService	Automatic	Started
9-2K8X64-011	NT AUTHORITY\LocalService	Disabled	Stopped
9-2K8R2-DC3	NT AUTHORITY\LocalService	Disabled	Stopped
9-7X64-401A	NT AUTHORITY\LocalService	Disabled	Stopped
9-2K8R2-401	NT AUTHORITY\LocalService	Disabled	Stopped
Net.Tcp Port Sharing Service	Provides ability to share TCP ports over the net.tcp protocol.		6
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\LocalService	Disabled	Stopped
9-2K8R2-DC	NT AUTHORITY\LocalService	Manual	Started
9-2K8X64-011	NT AUTHORITY\LocalService	Disabled	Stopped
9-2K8R2-DC3	NT AUTHORITY\LocalService	Disabled	Stopped
9-7X64-401A	NT AUTHORITY\LocalService	Disabled	Stopped
9-2K8R2-401	NT AUTHORITY\LocalService	Disabled	Stopped
Netlogon	Maintains a secure channel between this computer and the domain controller for authenticating users and services. If this service is stopped, the computer may not authenticate users and services and the domain controller cannot register DNS records. If this service is disabled, any services that explicitly depend on it will fail to start.		6
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Automatic	Started
9-2K8R2-DC	LocalSystem	Automatic	Started
9-2K8X64-011	LocalSystem	Automatic	Started
9-2K8R2-DC3	LocalSystem	Automatic	Started
9-7X64-401A	LocalSystem	Automatic	Started
9-2K8R2-401	LocalSystem	Automatic	Started
Network Access Protection Agent	N/A		6
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\NetworkService	Manual	Stopped
9-2K8R2-DC	NT AUTHORITY\NetworkService	Manual	Stopped
9-2K8X64-011	NT AUTHORITY\NetworkService	Manual	Stopped
9-2K8R2-DC3	NT AUTHORITY\NetworkService	Manual	Stopped
9-7X64-401A	NT AUTHORITY\NetworkService	Manual	Stopped
9-2K8R2-401	NT AUTHORITY\NetworkService	Manual	Stopped
Network Connections	Manages objects in the Network and Dial-Up Connections folder, in which you can view both local area network and remote connections.		6
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Manual	Started
9-2K8R2-DC	LocalSystem	Manual	Started
9-2K8X64-011	LocalSystem	Manual	Started
9-2K8R2-DC3	LocalSystem	Manual	Started

9-7X64-401A	LocalSystem	Manual	Started
9-2K8R2-401	LocalSystem	Manual	Started
Network List Service	Identifies the networks to which the computer has connected, collects and stores properties for these networks, and notifies applications when these properties change.		6
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\LocalService	Manual	Started
9-2K8R2-DC	NT AUTHORITY\LocalService	Manual	Started
9-2K8X64-011	NT AUTHORITY\LocalService	Automatic	Started
9-2K8R2-DC3	NT AUTHORITY\LocalService	Manual	Started
9-7X64-401A	NT AUTHORITY\LocalService	Manual	Started
9-2K8R2-401	NT AUTHORITY\LocalService	Manual	Started
Network Location Awareness	Collects and stores configuration information for the network and notifies programs when this information is modified. If this service is stopped, configuration information might be unavailable. If this service is disabled, any services that explicitly depend on it will fail to start.		6
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\NetworkService	Automatic	Started
9-2K8R2-DC	NT AUTHORITY\NetworkService	Automatic	Started
9-2K8X64-011	NT AUTHORITY\NetworkService	Automatic	Started
9-2K8R2-DC3	NT AUTHORITY\NetworkService	Automatic	Started
9-7X64-401A	NT AUTHORITY\NetworkService	Automatic	Started
9-2K8R2-401	NT AUTHORITY\NetworkService	Automatic	Started
Network Store Interface Service	This service delivers network notifications (e.g. interface addition/deleting etc) to user mode clients. Stopping this service will cause loss of network connectivity. If this service is disabled, any other services that explicitly depend on this service will fail to start.		6
Host Name	Account Name	Started	Status
9-7X64-011	NT Authority\LocalService	Automatic	Started
9-2K8R2-DC	NT Authority\LocalService	Automatic	Started
9-2K8X64-011	NT Authority\LocalService	Automatic	Started
9-2K8R2-DC3	NT Authority\LocalService	Automatic	Started
9-7X64-401A	NT Authority\LocalService	Automatic	Started
9-2K8R2-401	NT Authority\LocalService	Automatic	Started
Office Source Engine	Saves installation files used for updates and repairs and is required for the downloading of Setup updates and Watson error reports.		1
Host Name	Account Name	Started	Status
9-7X64-401A	LocalSystem	Manual	Stopped
Office 64 Source Engine	Saves installation files used for updates and repairs and is required for the downloading of Setup updates and Watson error reports.		1
Host Name	Account Name	Started	Status
9-2K8X64-011	LocalSystem	Manual	Stopped
Office Software Protection Platform	Office Software Protection Platform Service (unlocalized description)		2
Host Name	Account Name	Started	Status
9-2K8X64-011	NT AUTHORITY\NetworkService	Manual	Started
9-7X64-401A	NT AUTHORITY\NetworkService	Manual	Stopped
Offline Files	The Offline Files service performs maintenance activities on the Offline Files cache, responds to user logon and logoff events, implements the internals of the public API, and dispatches interesting events to those interested in Offline Files activities and changes in cache state.		3
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Automatic	Started
9-2K8X64-011	LocalSystem	Disabled	Stopped

9-7X64-401A	LocalSystem	Automatic	Started
PAExec-1632-9-2K8R2-401	N/A		1
Host Name	Account Name	Started	Status
9-7X64-401A	LocalSystem	Manual	Stopped
PAExec-2728-9-2K8R2-401	N/A		1
Host Name	Account Name	Started	Status
9-7X64-401A	LocalSystem	Manual	Stopped
PAExec-304-9-2K8R2-401	N/A		1
Host Name	Account Name	Started	Status
9-7X64-401A	LocalSystem	Manual	Stopped
PAExec-3720-9-2K8R2-401	N/A		1
Host Name	Account Name	Started	Status
9-7X64-401A	LocalSystem	Manual	Stopped
PAExec-3832-9-2K8R2-401	N/A		1
Host Name	Account Name	Started	Status
9-7X64-401A	LocalSystem	Manual	Stopped
PAExec-3872-9-2K8R2-401	N/A		1
Host Name	Account Name	Started	Status
9-7X64-401A	LocalSystem	Manual	Stopped
PAExec-756-9-2K8R2-401	N/A		1
Host Name	Account Name	Started	Status
9-7X64-401A	LocalSystem	Manual	Stopped
Parental Controls	This service is a stub for Windows Parental Control functionality that existed in Vista. It is provided for backward compatibility only.		2
Host Name	Account Name	Started	Status
9-7X64-011	NT Authority\LocalService	Manual	Stopped
9-7X64-401A	NT Authority\LocalService	Manual	Stopped
Peer Name Resolution Protocol	Enables serverless peer name resolution over the Internet using the Peer Name Resolution Protocol (PNRP). If disabled, some peer-to-peer and collaborative applications, such as Remote Assistance, may not function.		2
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\LocalService	Manual	Stopped
9-7X64-401A	NT AUTHORITY\LocalService	Manual	Stopped
Peer Networking Grouping	Enables multi-party communication using Peer-to-Peer Grouping. If disabled, some applications, such as HomeGroup, may not function.		2
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\LocalService	Manual	Stopped
9-7X64-401A	NT AUTHORITY\LocalService	Manual	Stopped
Peer Networking Identity Manager	Provides identity services for the Peer Name Resolution Protocol (PNRP) and Peer-to-Peer Grouping services. If disabled, the Peer Name Resolution Protocol (PNRP) and Peer-to-Peer Grouping services may not function, and some applications, such as HomeGroup and Remote Assistance, may not function correctly.		2
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\LocalService	Manual	Stopped
9-7X64-401A	NT AUTHORITY\LocalService	Manual	Stopped
Performance Counter DLL Host	Enables remote users and 64-bit processes to query performance counters provided by 32-bit DLLs. If this service is stopped, only local users and 32-bit processes will be able to query performance counters provided by 32-bit DLLs.		6
Host Name	Account Name	Started	Status

9-7X64-011	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-DC	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8X64-011	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-DC3	NT AUTHORITY\LocalService	Manual	Stopped
9-7X64-401A	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-401	NT AUTHORITY\LocalService	Manual	Stopped
Performance Logs & Alerts	Performance Logs and Alerts Collects performance data from local or remote computers based on preconfigured schedule parameters, then writes the data to a log or triggers an alert. If this service is stopped, performance information will not be collected. If this service is disabled, any services that explicitly depend on it will fail to start.		6
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-DC	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8X64-011	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-DC3	NT AUTHORITY\LocalService	Manual	Stopped
9-7X64-401A	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-401	NT AUTHORITY\LocalService	Manual	Stopped
Plug and Play	Enables a computer to recognize and adapt to hardware changes with little or no user input. Stopping or disabling this service will result in system instability.		6
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Automatic	Started
9-2K8R2-DC	LocalSystem	Automatic	Started
9-2K8X64-011	LocalSystem	Automatic	Started
9-2K8R2-DC3	LocalSystem	Automatic	Started
9-7X64-401A	LocalSystem	Automatic	Started
9-2K8R2-401	LocalSystem	Automatic	Started
PnP-X IP Bus Enumerator	The PnP-X bus enumerator service manages the virtual network bus. It discovers network connected devices using the SSDP/WS discovery protocols and gives them presence in PnP. If this service is stopped or disabled, presence of NCD devices will not be maintained in PnP. All pnpX based scenarios will stop functioning.		6
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC	LocalSystem	Disabled	Stopped
9-2K8X64-011	LocalSystem	Disabled	Stopped
9-2K8R2-DC3	LocalSystem	Disabled	Stopped
9-7X64-401A	LocalSystem	Manual	Stopped
9-2K8R2-401	LocalSystem	Disabled	Stopped
PNRP Machine Name Publication Service	This service publishes a machine name using the Peer Name Resolution Protocol. Configuration is managed via the netsh context 'p2p pnrp peer'		2
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\LocalService	Manual	Stopped
9-7X64-401A	NT AUTHORITY\LocalService	Manual	Stopped
Portable Device Enumerator Service	Enforces group policy for removable mass-storage devices. Enables applications such as Windows Media Player and Image Import Wizard to transfer and synchronize content using removable mass-storage devices.		6
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC	LocalSystem	Manual	Started
9-2K8X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC3	LocalSystem	Manual	Started
9-7X64-401A	LocalSystem	Manual	Stopped
9-2K8R2-401	LocalSystem	Manual	Stopped

Power	Manages power policy and power policy notification delivery.	5	
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Automatic	Started
9-2K8R2-DC	LocalSystem	Automatic	Started
9-2K8R2-DC3	LocalSystem	Automatic	Started
9-7X64-401A	LocalSystem	Automatic	Started
9-2K8R2-401	LocalSystem	Automatic	Started
Print Spooler	Loads files to memory for later printing	6	
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Automatic	Started
9-2K8R2-DC	LocalSystem	Automatic	Started
9-2K8X64-011	LocalSystem	Automatic	Started
9-2K8R2-DC3	LocalSystem	Automatic	Started
9-7X64-401A	LocalSystem	Automatic	Started
9-2K8R2-401	LocalSystem	Automatic	Started
Problem Reports and Solutions Control Panel Support	This service provides support for viewing, sending and deletion of system-level problem reports for the Problem Reports and Solutions control panel.	6	
Host Name	Account Name	Started	Status
9-7X64-011	localSystem	Manual	Stopped
9-2K8R2-DC	localSystem	Manual	Stopped
9-2K8X64-011	localSystem	Manual	Stopped
9-2K8R2-DC3	localSystem	Manual	Stopped
9-7X64-401A	localSystem	Manual	Stopped
9-2K8R2-401	localSystem	Manual	Stopped
Program Compatibility Assistant Service	This service provides support for the Program Compatibility Assistant (PCA). PCA monitors programs installed and run by the user and detects known compatibility problems. If this service is stopped, PCA will not function properly.	2	
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Automatic	Started
9-7X64-401A	LocalSystem	Automatic	Started
Protected Storage	Provides protected storage for sensitive data, such as passwords, to prevent access by unauthorized services, processes, or users.	6	
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC	LocalSystem	Manual	Stopped
9-2K8X64-011	LocalSystem	Manual	Started
9-2K8R2-DC3	LocalSystem	Manual	Stopped
9-7X64-401A	LocalSystem	Manual	Stopped
9-2K8R2-401	LocalSystem	Manual	Stopped
Quality Windows Audio Video Experience	Quality Windows Audio Video Experience (qWave) is a networking platform for Audio Video (AV) streaming applications on IP home networks. qWave enhances AV streaming performance and reliability by ensuring network quality-of-service (QoS) for AV applications. It provides mechanisms for admission control, run time monitoring and enforcement, application feedback, and traffic prioritization.	2	
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\LocalService	Manual	Stopped
9-7X64-401A	NT AUTHORITY\LocalService	Manual	Stopped
Remote Access Auto Connection Manager	Creates a connection to a remote network whenever a program references a remote DNS or NetBIOS name or address.	6	
Host Name	Account Name	Started	Status
9-7X64-011	localSystem	Manual	Stopped

9-2K8R2-DC	localSystem	Manual	Stopped
9-2K8X64-011	localSystem	Manual	Stopped
9-2K8R2-DC3	localSystem	Manual	Stopped
9-7X64-401A	localSystem	Manual	Stopped
9-2K8R2-401	localSystem	Manual	Stopped
Remote Access Connection Manager	Manages dial-up and virtual private network (VPN) connections from this computer to the Internet or other remote networks. If this service is disabled, any services that explicitly depend on it will fail to start.		6
Host Name	Account Name	Started	Status
9-7X64-011	localSystem	Manual	Stopped
9-2K8R2-DC	localSystem	Manual	Stopped
9-2K8X64-011	localSystem	Manual	Started
9-2K8R2-DC3	localSystem	Manual	Stopped
9-7X64-401A	localSystem	Manual	Stopped
9-2K8R2-401	localSystem	Manual	Stopped
Remote Desktop Configuration	Remote Desktop Configuration service (RDCS) is responsible for all Remote Desktop Services and Remote Desktop related configuration and session maintenance activities that require SYSTEM context. These include per-session temporary folders, RD themes, and RD certificates.		5
Host Name	Account Name	Started	Status
9-7X64-011	localSystem	Manual	Stopped
9-2K8R2-DC	localSystem	Manual	Started
9-2K8R2-DC3	localSystem	Manual	Started
9-7X64-401A	localSystem	Manual	Started
9-2K8R2-401	localSystem	Manual	Started
Remote Desktop Services	Allows users to connect interactively to a remote computer. Remote Desktop and Remote Desktop Session Host Server depend on this service. To prevent remote use of this computer, clear the checkboxes on the Remote tab of the System properties control panel item.		5
Host Name	Account Name	Started	Status
9-7X64-011	NT Authority\NetworkService	Manual	Stopped
9-2K8R2-DC	NT Authority\NetworkService	Manual	Started
9-2K8R2-DC3	NT Authority\NetworkService	Manual	Started
9-7X64-401A	NT Authority\NetworkService	Manual	Started
9-2K8R2-401	NT Authority\NetworkService	Manual	Started
Remote Desktop Services UserMode Port Redirector	Allows the redirection of Printers/Drives/Ports for RDP connections		5
Host Name	Account Name	Started	Status
9-7X64-011	localSystem	Manual	Stopped
9-2K8R2-DC	localSystem	Manual	Started
9-2K8R2-DC3	localSystem	Manual	Started
9-7X64-401A	localSystem	Manual	Started
9-2K8R2-401	localSystem	Manual	Started
Remote Procedure Call (RPC)	The RPCSS service is the Service Control Manager for COM and DCOM servers. It performs object activations requests, object exporter resolutions and distributed garbage collection for COM and DCOM servers. If this service is stopped or disabled, programs using COM or DCOM will not function properly. It is strongly recommended that you have the RPCSS service running		6
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\NetworkService	Automatic	Started
9-2K8R2-DC	NT AUTHORITY\NetworkService	Automatic	Started
9-2K8X64-011	NT AUTHORITY\NetworkService	Automatic	Started

9-2K8R2-DC3	NT AUTHORITY\NetworkService	Automatic	Started
9-7X64-401A	NT AUTHORITY\NetworkService	Automatic	Started
9-2K8R2-401	NT AUTHORITY\NetworkService	Automatic	Started
Remote Procedure Call (RPC) Locator	In Windows 2003 and earlier versions of Windows, the Remote Procedure Call (RPC) Locator service manages the RPC name service database. In Windows Vista and later versions of Windows, this service does not provide any functionality and is present for application compatibility.		6
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\NetworkService	Manual	Stopped
9-2K8R2-DC	NT AUTHORITY\NetworkService	Manual	Stopped
9-2K8X64-011	NT AUTHORITY\NetworkService	Manual	Stopped
9-2K8R2-DC3	NT AUTHORITY\NetworkService	Manual	Stopped
9-7X64-401A	NT AUTHORITY\NetworkService	Manual	Stopped
9-2K8R2-401	NT AUTHORITY\NetworkService	Manual	Stopped
Remote Registry	Enables remote users to modify registry settings on this computer. If this service is stopped, the registry can be modified only by users on this computer. If this service is disabled, any services that explicitly depend on it will fail to start.		6
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\LocalService	Manual	Started
9-2K8R2-DC	NT AUTHORITY\LocalService	Automatic	Started
9-2K8X64-011	NT AUTHORITY\LocalService	Automatic	Started
9-2K8R2-DC3	NT AUTHORITY\LocalService	Automatic	Started
9-7X64-401A	NT AUTHORITY\LocalService	Manual	Started
9-2K8R2-401	NT AUTHORITY\LocalService	Automatic	Started
Remote Service	Byte IT Remote Service		1
Host Name	Account Name	Started	Status
9-2K8R2-401	LocalSystem	Automatic	Started
Resultant Set of Policy Provider	Provides a network service that processes requests to simulate application of Group Policy settings for a target user or computer in various situations and computes the Resultant Set of Policy settings.		4
Host Name	Account Name	Started	Status
9-2K8R2-DC	LocalSystem	Manual	Stopped
9-2K8X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC3	LocalSystem	Manual	Stopped
9-2K8R2-401	LocalSystem	Manual	Stopped
Routing and Remote Access	Offers routing services to businesses in local area and wide area network environments.		6
Host Name	Account Name	Started	Status
9-7X64-011	localSystem	Disabled	Stopped
9-2K8R2-DC	localSystem	Disabled	Stopped
9-2K8X64-011	localSystem	Disabled	Stopped
9-2K8R2-DC3	localSystem	Disabled	Stopped
9-7X64-401A	localSystem	Disabled	Stopped
9-2K8R2-401	localSystem	Disabled	Stopped
RPC Endpoint Mapper	Resolves RPC interfaces identifiers to transport endpoints. If this service is stopped or disabled, programs using Remote Procedure Call (RPC) services will not function properly.		5
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\NetworkService	Automatic	Started
9-2K8R2-DC	NT AUTHORITY\NetworkService	Automatic	Started
9-2K8R2-DC3	NT AUTHORITY\NetworkService	Automatic	Started
9-7X64-401A	NT AUTHORITY\NetworkService	Automatic	Started
9-2K8R2-401	NT AUTHORITY\NetworkService	Automatic	Started

Secondary Logon	Enables starting processes under alternate credentials. If this service is stopped, this type of logon access will be unavailable. If this service is disabled, any services that explicitly depend on it will fail to start.	6	
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC	LocalSystem	Manual	Stopped
9-2K8X64-011	LocalSystem	Automatic	Started
9-2K8R2-DC3	LocalSystem	Manual	Stopped
9-7X64-401A	LocalSystem	Manual	Stopped
9-2K8R2-401	LocalSystem	Manual	Stopped
Secure Socket Tunneling Protocol Service	Provides support for the Secure Socket Tunneling Protocol (SSTP) to connect to remote computers using VPN. If this service is disabled, users will not be able to use SSTP to access remote servers.	6	
Host Name	Account Name	Started	Status
9-7X64-011	NT Authority\LocalService	Manual	Stopped
9-2K8R2-DC	NT Authority\LocalService	Manual	Stopped
9-2K8X64-011	NT Authority\LocalService	Manual	Started
9-2K8R2-DC3	NT Authority\LocalService	Manual	Stopped
9-7X64-401A	NT Authority\LocalService	Manual	Stopped
9-2K8R2-401	NT Authority\LocalService	Manual	Stopped
Security Accounts Manager	The startup of this service signals other services that the Security Accounts Manager (SAM) is ready to accept requests. Disabling this service will prevent other services in the system from being notified when the SAM is ready, which may in turn cause those services to fail to start correctly. This service should not be disabled.	6	
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Automatic	Started
9-2K8R2-DC	LocalSystem	Automatic	Started
9-2K8X64-011	LocalSystem	Automatic	Started
9-2K8R2-DC3	LocalSystem	Automatic	Started
9-7X64-401A	LocalSystem	Automatic	Started
9-2K8R2-401	LocalSystem	Automatic	Started
Security Center	N/A	2	
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\LocalService	Automatic	Started
9-7X64-401A	NT AUTHORITY\LocalService	Automatic	Started
Server	Supports file, print, and named-pipe sharing over the network for this computer. If this service is stopped, these functions will be unavailable. If this service is disabled, any services that explicitly depend on it will fail to start.	6	
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Automatic	Started
9-2K8R2-DC	LocalSystem	Automatic	Started
9-2K8X64-011	LocalSystem	Automatic	Started
9-2K8R2-DC3	LocalSystem	Automatic	Started
9-7X64-401A	LocalSystem	Automatic	Started
9-2K8R2-401	LocalSystem	Automatic	Started
Shell Hardware Detection	Provides notifications for AutoPlay hardware events.	6	
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Automatic	Started
9-2K8R2-DC	LocalSystem	Automatic	Started
9-2K8X64-011	LocalSystem	Automatic	Started
9-2K8R2-DC3	LocalSystem	Automatic	Started

9-7X64-401A	LocalSystem	Automatic	Started
9-2K8R2-401	LocalSystem	Automatic	Started
SL UI Notification Service	Provides Software Licensing activation and notification		1
Host Name	Account Name	Started	Status
9-2K8X64-011	NT AUTHORITY\LocalService	Manual	Stopped
Smart Card	Manages access to smart cards read by this computer. If this service is stopped, this computer will be unable to read smart cards. If this service is disabled, any services that explicitly depend on it will fail to start.		6
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-DC	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8X64-011	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-DC3	NT AUTHORITY\LocalService	Manual	Stopped
9-7X64-401A	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-401	NT AUTHORITY\LocalService	Manual	Stopped
Smart Card Removal Policy	Allows the system to be configured to lock the user desktop upon smart card removal.		6
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC	LocalSystem	Manual	Stopped
9-2K8X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC3	LocalSystem	Manual	Stopped
9-7X64-401A	LocalSystem	Manual	Stopped
9-2K8R2-401	LocalSystem	Manual	Stopped
SNMP Trap	Receives trap messages generated by local or remote Simple Network Management Protocol (SNMP) agents and forwards the messages to SNMP management programs running on this computer. If this service is stopped, SNMP-based programs on this computer will not receive SNMP trap messages. If this service is disabled, any services that explicitly depend on it will fail to start.		6
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-DC	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8X64-011	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-DC3	NT AUTHORITY\LocalService	Manual	Stopped
9-7X64-401A	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-401	NT AUTHORITY\LocalService	Manual	Stopped
Software Licensing	Enables the download, installation and enforcement of digital licenses for Windows and Windows applications. If the service is disabled, the operating system and licensed applications may run in a reduced function mode.		1
Host Name	Account Name	Started	Status
9-2K8X64-011	NT AUTHORITY\NetworkService	Automatic	Started
Software Protection	Enables the download, installation and enforcement of digital licenses for Windows and Windows applications. If the service is disabled, the operating system and licensed applications may run in a notification mode. It is strongly recommended that you not disable the Software Protection service.		5
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\NetworkService	Automatic	Stopped
9-2K8R2-DC	NT AUTHORITY\NetworkService	Automatic	Stopped
9-2K8R2-DC3	NT AUTHORITY\NetworkService	Automatic	Stopped
9-7X64-401A	NT AUTHORITY\NetworkService	Automatic	Stopped
9-2K8R2-401	NT AUTHORITY\NetworkService	Automatic	Stopped
Special Administration Console Helper	Allows administrators to remotely access a command prompt using Emergency Management Services.		4

Host Name	Account Name	Started	Status
9-2K8R2-DC	LocalSystem	Manual	Stopped
9-2K8X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC3	LocalSystem	Manual	Stopped
9-2K8R2-401	LocalSystem	Manual	Stopped
SPP Notification Service	Provides Software Licensing activation and notification		5
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-DC	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-DC3	NT AUTHORITY\LocalService	Manual	Stopped
9-7X64-401A	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-401	NT AUTHORITY\LocalService	Manual	Stopped
SSDP Discovery	Discovers networked devices and services that use the SSDP discovery protocol, such as UPnP devices. Also announces SSDP devices and services running on the local computer. If this service is stopped, SSDP-based devices will not be discovered. If this service is disabled, any services that explicitly depend on it will fail to start.		6
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\LocalService	Manual	Started
9-2K8R2-DC	NT AUTHORITY\LocalService	Disabled	Stopped
9-2K8X64-011	NT AUTHORITY\LocalService	Disabled	Stopped
9-2K8R2-DC3	NT AUTHORITY\LocalService	Disabled	Stopped
9-7X64-401A	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-401	NT AUTHORITY\LocalService	Disabled	Stopped
Storage Service	Enforces group policy for storage devices		2
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Manual	Stopped
9-7X64-401A	LocalSystem	Manual	Stopped
Superfetch	Maintains and improves system performance over time.		3
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Automatic	Started
9-2K8X64-011	LocalSystem	Disabled	Stopped
9-7X64-401A	LocalSystem	Manual	Stopped
System Event Notification Service	Monitors system events and notifies subscribers to COM+ Event System of these events.		6
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Automatic	Started
9-2K8R2-DC	LocalSystem	Automatic	Started
9-2K8X64-011	LocalSystem	Automatic	Started
9-2K8R2-DC3	LocalSystem	Automatic	Started
9-7X64-401A	LocalSystem	Automatic	Started
9-2K8R2-401	LocalSystem	Automatic	Started
Tablet PC Input Service	Enables Tablet PC pen and ink functionality		2
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Manual	Stopped
9-7X64-401A	LocalSystem	Manual	Stopped
Task Scheduler	Enables a user to configure and schedule automated tasks on this computer. The service also hosts multiple Windows system-critical tasks. If this service is stopped or disabled, these tasks will not be run at their scheduled times. If this service is disabled, any services that explicitly depend on it will fail to start.		6
Host Name	Account Name	Started	Status

9-7X64-011	LocalSystem	Automatic	Started
9-2K8R2-DC	LocalSystem	Automatic	Started
9-2K8X64-011	LocalSystem	Automatic	Started
9-2K8R2-DC3	LocalSystem	Automatic	Started
9-7X64-401A	LocalSystem	Automatic	Started
9-2K8R2-401	LocalSystem	Automatic	Started
TCP/IP NetBIOS Helper	Provides support for the NetBIOS over TCP/IP (NetBT) service and NetBIOS name resolution for clients on the network, therefore enabling users to share files, print, and log on to the network. If this service is stopped, these functions might be unavailable. If this service is disabled, any services that explicitly depend on it will fail to start.		6
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\LocalService	Automatic	Started
9-2K8R2-DC	NT AUTHORITY\LocalService	Automatic	Started
9-2K8X64-011	NT AUTHORITY\LocalService	Automatic	Started
9-2K8R2-DC3	NT AUTHORITY\LocalService	Automatic	Started
9-7X64-401A	NT AUTHORITY\LocalService	Automatic	Started
9-2K8R2-401	NT AUTHORITY\LocalService	Automatic	Started
Telephony	Provides Telephony API (TAPI) support for programs that control telephony devices on the local computer and, through the LAN, on servers that are also running the service.		6
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\NetworkService	Manual	Stopped
9-2K8R2-DC	NT AUTHORITY\NetworkService	Manual	Stopped
9-2K8X64-011	NT AUTHORITY\NetworkService	Manual	Started
9-2K8R2-DC3	NT AUTHORITY\NetworkService	Manual	Stopped
9-7X64-401A	NT AUTHORITY\NetworkService	Manual	Stopped
9-2K8R2-401	NT AUTHORITY\NetworkService	Manual	Stopped
Terminal Services	Allows users to connect interactively to a remote computer. Remote Desktop and Terminal Server depend on this service. To prevent remote use of this computer, clear the checkboxes on the Remote tab of the System properties control panel item.		1
Host Name	Account Name	Started	Status
9-2K8X64-011	NT Authority\NetworkService	Automatic	Started
Terminal Services Configuration	Terminal Services Configuration service (TSCS) is responsible for all Terminal Services and Remote Desktop related configuration and session maintenance activities that require SYSTEM context. These include per-session temporary folders, TS themes, and TS certificates.		1
Host Name	Account Name	Started	Status
9-2K8X64-011	localSystem	Manual	Stopped
Terminal Services UserMode Port Redirector	Allows the redirection of Printers/Drives/Ports for RDP connections		1
Host Name	Account Name	Started	Status
9-2K8X64-011	localSystem	Manual	Stopped
Themes	Provides user experience theme management.		3
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Automatic	Started
9-2K8X64-011	LocalSystem	Disabled	Stopped
9-7X64-401A	LocalSystem	Automatic	Started
Thread Ordering Server	Provides ordered execution for a group of threads within a specific period of time.		6
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-DC	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8X64-011	NT AUTHORITY\LocalService	Manual	Stopped

9-2K8R2-DC3	NT AUTHORITY\LocalService	Manual	Stopped
9-7X64-401A	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-401	NT AUTHORITY\LocalService	Manual	Stopped
TP AutoConnect Service	ThinPrint .print component for printing with ThinPrint Ports and automatic creation of printer objects. If this service is stopped, printing with ThinPrint .print technology will not be possible.		6
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC	LocalSystem	Manual	Stopped
9-2K8X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC3	LocalSystem	Manual	Stopped
9-7X64-401A	LocalSystem	Manual	Stopped
9-2K8R2-401	LocalSystem	Manual	Stopped
TP VC Gateway Service	ThinPrint .print component that receives print data from dedicated print servers and forwards it to .print ICA/RDP Clients.		6
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC	LocalSystem	Manual	Stopped
9-2K8X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC3	LocalSystem	Manual	Stopped
9-7X64-401A	LocalSystem	Manual	Stopped
9-2K8R2-401	LocalSystem	Manual	Stopped
TPM Base Services	Enables access to the Trusted Platform Module (TPM), which provides hardware-based cryptographic services to system components and applications. If this service is stopped or disabled, applications will be unable to use keys protected by the TPM.		6
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-DC	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8X64-011	NT AUTHORITY\LocalService	Automatic	Stopped
9-2K8R2-DC3	NT AUTHORITY\LocalService	Manual	Stopped
9-7X64-401A	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-401	NT AUTHORITY\LocalService	Manual	Stopped
UPnP Device Host	Allows UPnP devices to be hosted on this computer. If this service is stopped, any hosted UPnP devices will stop functioning and no additional hosted devices can be added. If this service is disabled, any services that explicitly depend on it will fail to start.		6
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-DC	NT AUTHORITY\LocalService	Disabled	Stopped
9-2K8X64-011	NT AUTHORITY\LocalService	Disabled	Stopped
9-2K8R2-DC3	NT AUTHORITY\LocalService	Disabled	Stopped
9-7X64-401A	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-401	NT AUTHORITY\LocalService	Disabled	Stopped
User Profile Service	This service is responsible for loading and unloading user profiles. If this service is stopped or disabled, users will no longer be able to successfully logon or logoff, applications may have problems getting to users' data, and components registered to receive profile event notifications will not receive them.		6
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Automatic	Started
9-2K8R2-DC	LocalSystem	Automatic	Started
9-2K8X64-011	LocalSystem	Automatic	Started
9-2K8R2-DC3	LocalSystem	Automatic	Started
9-7X64-401A	LocalSystem	Automatic	Started

9-2K8R2-401	LocalSystem	Automatic	Started
Virtual Disk	Provides management services for disks, volumes, file systems, and storage arrays.		6
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC	LocalSystem	Manual	Started
9-2K8X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC3	LocalSystem	Manual	Started
9-7X64-401A	LocalSystem	Manual	Stopped
9-2K8R2-401	LocalSystem	Manual	Stopped
VMTools	Provides support for synchronizing objects between the host and guest operating systems.		6
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Automatic	Started
9-2K8R2-DC	LocalSystem	Automatic	Started
9-2K8X64-011	LocalSystem	Automatic	Started
9-2K8R2-DC3	LocalSystem	Automatic	Started
9-7X64-401A	LocalSystem	Automatic	Started
9-2K8R2-401	LocalSystem	Automatic	Started
VMware Snapshot Provider	VMware Snapshot Provider		6
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC	LocalSystem	Manual	Stopped
9-2K8X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC3	LocalSystem	Manual	Stopped
9-7X64-401A	LocalSystem	Manual	Stopped
9-2K8R2-401	LocalSystem	Manual	Stopped
Volume Shadow Copy	Manages and implements Volume Shadow Copies used for backup and other purposes. If this service is stopped, shadow copies will be unavailable for backup and the backup may fail. If this service is disabled, any services that explicitly depend on it will fail to start.		6
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC	LocalSystem	Manual	Stopped
9-2K8X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC3	LocalSystem	Manual	Stopped
9-7X64-401A	LocalSystem	Manual	Stopped
9-2K8R2-401	LocalSystem	Manual	Stopped
WebClient	Enables Windows-based programs to create, access, and modify Internet-based files. If this service is stopped, these functions will not be available. If this service is disabled, any services that explicitly depend on it will fail to start.		2
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\LocalService	Manual	Stopped
9-7X64-401A	NT AUTHORITY\LocalService	Manual	Stopped
Windows Activation Technologies Service	Performs Windows 7 Validation.		2
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Manual	Stopped
9-7X64-401A	LocalSystem	Manual	Stopped
Windows Audio	Manages audio for Windows-based programs. If this service is stopped, audio devices and effects will not function properly. If this service is disabled, any services that explicitly depend on it will fail to start		6
Host Name	Account Name	Started	Status

9-7X64-011	NT AUTHORITY\LocalService	Automatic	Started
9-2K8R2-DC	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8X64-011	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-DC3	NT AUTHORITY\LocalService	Manual	Stopped
9-7X64-401A	NT AUTHORITY\LocalService	Automatic	Started
9-2K8R2-401	NT AUTHORITY\LocalService	Manual	Stopped
Windows Audio Endpoint Builder	Manages audio devices for the Windows Audio service. If this service is stopped, audio devices and effects will not function properly. If this service is disabled, any services that explicitly depend on it will fail to start		6
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Automatic	Started
9-2K8R2-DC	LocalSystem	Manual	Stopped
9-2K8X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC3	LocalSystem	Manual	Stopped
9-7X64-401A	LocalSystem	Automatic	Started
9-2K8R2-401	LocalSystem	Manual	Stopped
Windows Backup	Provides Windows Backup and Restore capabilities.		2
Host Name	Account Name	Started	Status
9-7X64-011	localSystem	Manual	Stopped
9-7X64-401A	localSystem	Manual	Stopped
Windows Biometric Service	The Windows biometric service gives client applications the ability to capture, compare, manipulate, and store biometric data without gaining direct access to any biometric hardware or samples. The service is hosted in a privileged SVCHOST process.		2
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Manual	Stopped
9-7X64-401A	LocalSystem	Manual	Stopped
Windows CardSpace	Securely enables the creation, management, and disclosure of digital identities.		5
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC	LocalSystem	Manual	Stopped
9-2K8X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC3	LocalSystem	Manual	Stopped
9-7X64-401A	LocalSystem	Manual	Stopped
Windows Color System	The WcsPlugInService service hosts third-party Windows Color System color device model and gamut map model plug-in modules. These plug-in modules are vendor-specific extensions to the Windows Color System baseline color device and gamut map models. Stopping or disabling the WcsPlugInService service will disable this extensibility feature, and the Windows Color System will use its baseline model processing rather than the vendor's desired processing. This might result in inaccurate color rendering.		6
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-DC	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8X64-011	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-DC3	NT AUTHORITY\LocalService	Manual	Stopped
9-7X64-401A	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-401	NT AUTHORITY\LocalService	Manual	Stopped
Windows Connect Now - Config Registrar	WCNCSVC hosts the Windows Connect Now Configuration which is Microsoft's Implementation of Wi-Fi Protected Setup (WPS) protocol. This is used to configure Wireless LAN settings for an Access Point (AP) or a Wi-Fi Device. The service is started programmatically as needed.		2
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\LocalService	Manual	Started

9-7X64-401A	NT AUTHORITY\LocalService	Manual	Stopped
Windows Defender	Protection against spyware and potentially unwanted software		2
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Automatic	Started
9-7X64-401A	LocalSystem	Automatic	Started
Windows Driver Foundation - User-mode Driver Framework	Manages user-mode driver host processes.		6
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC	LocalSystem	Manual	Stopped
9-2K8X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC3	LocalSystem	Manual	Stopped
9-7X64-401A	LocalSystem	Manual	Stopped
9-2K8R2-401	LocalSystem	Manual	Stopped
Windows Error Reporting Service	Allows errors to be reported when programs stop working or responding and allows existing solutions to be delivered. Also allows logs to be generated for diagnostic and repair services. If this service is stopped, error reporting might not work correctly and results of diagnostic services and repairs might not be displayed.		6
Host Name	Account Name	Started	Status
9-7X64-011	localSystem	Manual	Stopped
9-2K8R2-DC	localSystem	Manual	Stopped
9-2K8X64-011	localSystem	Automatic	Started
9-2K8R2-DC3	localSystem	Manual	Stopped
9-7X64-401A	localSystem	Manual	Stopped
9-2K8R2-401	localSystem	Manual	Stopped
Windows Event Collector	This service manages persistent subscriptions to events from remote sources that support WS-Management protocol. This includes Windows Vista event logs, hardware and IPMI-enabled event sources. The service stores forwarded events in a local Event Log. If this service is stopped or disabled event subscriptions cannot be created and forwarded events cannot be accepted.		6
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\NetworkService	Manual	Stopped
9-2K8R2-DC	NT AUTHORITY\NetworkService	Manual	Stopped
9-2K8X64-011	NT AUTHORITY\NetworkService	Manual	Stopped
9-2K8R2-DC3	NT AUTHORITY\NetworkService	Manual	Stopped
9-7X64-401A	NT AUTHORITY\NetworkService	Manual	Stopped
9-2K8R2-401	NT AUTHORITY\NetworkService	Manual	Stopped
Windows Event Log	This service manages events and event logs. It supports logging events, querying events, subscribing to events, archiving event logs, and managing event metadata. It can display events in both XML and plain text format. Stopping this service may compromise security and reliability of the system.		6
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\LocalService	Automatic	Started
9-2K8R2-DC	NT AUTHORITY\LocalService	Automatic	Started
9-2K8X64-011	NT AUTHORITY\LocalService	Automatic	Started
9-2K8R2-DC3	NT AUTHORITY\LocalService	Automatic	Started
9-7X64-401A	NT AUTHORITY\LocalService	Automatic	Started
9-2K8R2-401	NT AUTHORITY\LocalService	Automatic	Started
Windows Firewall	Windows Firewall helps protect your computer by preventing unauthorized users from gaining access to your computer through the Internet or a network.		6
Host Name	Account Name	Started	Status
9-7X64-011	NT Authority\LocalService	Automatic	Started

9-2K8R2-DC	NT Authority\LocalService	Automatic	Started
9-2K8X64-011	NT Authority\LocalService	Automatic	Started
9-2K8R2-DC3	NT Authority\LocalService	Automatic	Started
9-7X64-401A	NT Authority\LocalService	Automatic	Started
9-2K8R2-401	NT Authority\LocalService	Automatic	Started
Windows Font Cache Service	Optimizes performance of applications by caching commonly used font data. Applications will start this service if it is not already running. It can be disabled, though doing so will degrade application performance.		5
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\LocalService	Automatic	Started
9-2K8R2-DC	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-DC3	NT AUTHORITY\LocalService	Manual	Stopped
9-7X64-401A	NT AUTHORITY\LocalService	Automatic	Started
9-2K8R2-401	NT AUTHORITY\LocalService	Manual	Started
Windows Image Acquisition (WIA)	Provides image acquisition services for scanners and cameras		2
Host Name	Account Name	Started	Status
9-7X64-011	NT Authority\LocalService	Manual	Stopped
9-7X64-401A	NT Authority\LocalService	Manual	Stopped
Windows Installer	Adds, modifies, and removes applications provided as a Windows Installer (*.msi) package. If this service is disabled, any services that explicitly depend on it will fail to start.		6
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC	LocalSystem	Manual	Stopped
9-2K8X64-011	LocalSystem	Manual	Stopped
9-2K8R2-DC3	LocalSystem	Manual	Stopped
9-7X64-401A	LocalSystem	Manual	Stopped
9-2K8R2-401	LocalSystem	Manual	Stopped
Windows Management Instrumentation	Provides a common interface and object model to access management information about operating system, devices, applications and services. If this service is stopped, most Windows-based software will not function properly. If this service is disabled, any services that explicitly depend on it will fail to start.		6
Host Name	Account Name	Started	Status
9-7X64-011	localSystem	Automatic	Started
9-2K8R2-DC	localSystem	Automatic	Started
9-2K8X64-011	localSystem	Automatic	Started
9-2K8R2-DC3	localSystem	Automatic	Started
9-7X64-401A	localSystem	Automatic	Started
9-2K8R2-401	localSystem	Automatic	Started
Windows Media Center Receiver Service	Windows Media Center Service for TV and FM broadcast reception		2
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\networkService	Manual	Stopped
9-7X64-401A	NT AUTHORITY\networkService	Manual	Stopped
Windows Media Center Scheduler Service	Starts and stops recording of TV programs within Windows Media Center		2
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\networkService	Manual	Stopped
9-7X64-401A	NT AUTHORITY\networkService	Manual	Stopped
Windows Media Player Network Sharing Service	Shares Windows Media Player libraries to other networked players and media devices using Universal Plug and Play		2
Host Name	Account Name	Started	Status

9-7X64-011	NT AUTHORITY\NetworkService	Manual	Stopped
9-7X64-401A	NT AUTHORITY\NetworkService	Manual	Stopped
Windows Modules Installer	Enables installation, modification, and removal of Windows updates and optional components. If this service is disabled, install or uninstall of Windows updates might fail for this computer.		6
Host Name	Account Name	Started	Status
9-7X64-011	localSystem	Manual	Stopped
9-2K8R2-DC	localSystem	Manual	Stopped
9-2K8X64-011	localSystem	Manual	Stopped
9-2K8R2-DC3	localSystem	Manual	Stopped
9-7X64-401A	localSystem	Manual	Stopped
9-2K8R2-401	localSystem	Manual	Stopped
Windows Presentation Foundation Font Cache 3.0.0.0	Optimizes performance of Windows Presentation Foundation (WPF) applications by caching commonly used font data. WPF applications will start this service if it is not already running. It can be disabled, though doing so will degrade the performance of WPF applications.		5
Host Name	Account Name	Started	Status
9-7X64-011	NT Authority\LocalService	Manual	Stopped
9-2K8R2-DC	NT Authority\LocalService	Manual	Stopped
9-2K8X64-011	NT Authority\LocalService	Manual	Stopped
9-2K8R2-DC3	NT Authority\LocalService	Manual	Stopped
9-7X64-401A	NT Authority\LocalService	Manual	Stopped
Windows Presentation Foundation Font Cache 4.0.0.0	Optimizes performance of Windows Presentation Foundation (WPF) applications by caching commonly used font data. WPF applications will start this service if it is not already running. It can be disabled, though doing so will degrade the performance of WPF applications.		1
Host Name	Account Name	Started	Status
9-2K8X64-011	NT AUTHORITY\LocalService	Manual	Stopped
Windows Process Activation Service	The Windows Process Activation Service (WAS) provides process activation, resource management and health management services for message-activated applications.		4
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Manual	Started
9-2K8R2-DC	LocalSystem	Manual	Started
9-2K8R2-DC3	LocalSystem	Manual	Started
9-2K8R2-401	LocalSystem	Manual	Started
Windows Remote Management (WS-Management)			6
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\NetworkService	Manual	Stopped
9-2K8R2-DC	NT AUTHORITY\NetworkService	Automatic	Started
9-2K8X64-011	NT AUTHORITY\NetworkService	Automatic	Started
9-2K8R2-DC3	NT AUTHORITY\NetworkService	Automatic	Started
9-7X64-401A	NT AUTHORITY\NetworkService	Manual	Stopped
9-2K8R2-401	NT AUTHORITY\NetworkService	Automatic	Started
Windows Search	Provides content indexing, property caching, and search results for files, e-mail, and other content.		2
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Automatic	Started
9-7X64-401A	LocalSystem	Automatic	Started
Windows Time	Maintains date and time synchronization on all clients and servers in the network. If this service is stopped, date and time synchronization will be unavailable. If this service is disabled, any services that explicitly depend on it will fail to start.		6

Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\LocalService	Manual	Started
9-2K8R2-DC	NT AUTHORITY\LocalService	Automatic	Started
9-2K8X64-011	NT AUTHORITY\LocalService	Automatic	Started
9-2K8R2-DC3	NT AUTHORITY\LocalService	Automatic	Started
9-7X64-401A	NT AUTHORITY\LocalService	Manual	Started
9-2K8R2-401	NT AUTHORITY\LocalService	Manual	Started
Windows Update	Enables the detection, download, and installation of updates for Windows and other programs. If this service is disabled, users of this computer will not be able to use Windows Update or its automatic updating feature, and programs will not be able to use the Windows Update Agent (WUA) API.		6
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Automatic	Started
9-2K8R2-DC	LocalSystem	Automatic	Started
9-2K8X64-011	LocalSystem	Automatic	Started
9-2K8R2-DC3	LocalSystem	Automatic	Started
9-7X64-401A	LocalSystem	Automatic	Started
9-2K8R2-401	LocalSystem	Automatic	Started
WinHTTP Web Proxy Auto-Discovery Service	WinHTTP implements the client HTTP stack and provides developers with a Win32 API and COM Automation component for sending HTTP requests and receiving responses. In addition, WinHTTP provides support for auto-discovering a proxy configuration via its implementation of the Web Proxy Auto-Discovery (WPAD) protocol.		6
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-DC	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8X64-011	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-DC3	NT AUTHORITY\LocalService	Manual	Stopped
9-7X64-401A	NT AUTHORITY\LocalService	Manual	Stopped
9-2K8R2-401	NT AUTHORITY\LocalService	Manual	Started
Wired AutoConfig	The Wired AutoConfig (DOT3SVC) service is responsible for performing IEEE 802.1X authentication on Ethernet interfaces. If your current wired network deployment enforces 802.1X authentication, the DOT3SVC service should be configured to run for establishing Layer 2 connectivity and/or providing access to network resources. Wired networks that do not enforce 802.1X authentication are unaffected by the DOT3SVC service.		6
Host Name	Account Name	Started	Status
9-7X64-011	localSystem	Manual	Stopped
9-2K8R2-DC	localSystem	Manual	Stopped
9-2K8X64-011	localSystem	Manual	Stopped
9-2K8R2-DC3	localSystem	Manual	Stopped
9-7X64-401A	localSystem	Manual	Stopped
9-2K8R2-401	localSystem	Manual	Stopped
WLAN AutoConfig	N/A		2
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Manual	Stopped
9-7X64-401A	LocalSystem	Manual	Stopped
WMI Performance Adapter	Provides performance library information from Windows Management Instrumentation (WMI) providers to clients on the network. This service only runs when Performance Data Helper is activated.		6
Host Name	Account Name	Started	Status
9-7X64-011	localSystem	Manual	Stopped
9-2K8R2-DC	localSystem	Manual	Stopped
9-2K8X64-011	localSystem	Manual	Stopped

9-2K8R2-DC3	localSystem	Manual	Stopped
9-7X64-401A	localSystem	Manual	Stopped
9-2K8R2-401	localSystem	Manual	Stopped
Workstation	Creates and maintains client network connections to remote servers using the SMB protocol. If this service is stopped, these connections will be unavailable. If this service is disabled, any services that explicitly depend on it will fail to start.		6
Host Name	Account Name	Started	Status
9-7X64-011	NT AUTHORITY\NetworkService	Automatic	Started
9-2K8R2-DC	NT AUTHORITY\NetworkService	Automatic	Started
9-2K8X64-011	NT AUTHORITY\LocalService	Automatic	Started
9-2K8R2-DC3	NT AUTHORITY\NetworkService	Automatic	Started
9-7X64-401A	NT AUTHORITY\NetworkService	Automatic	Started
9-2K8R2-401	NT AUTHORITY\NetworkService	Automatic	Started
World Wide Web Publishing Service	Provides Web connectivity and administration through the Internet Information Services Manager		4
Host Name	Account Name	Started	Status
9-7X64-011	LocalSystem	Automatic	Started
9-2K8R2-DC	LocalSystem	Automatic	Started
9-2K8R2-DC3	LocalSystem	Automatic	Started
9-2K8R2-401	LocalSystem	Automatic	Started
WWAN AutoConfig	This service manages mobile broadband (GSM & CDMA) data card/embedded module adapters and connections by auto-configuring the networks. It is strongly recommended that this service be kept running for best user experience of mobile broadband devices.		2
Host Name	Account Name	Started	Status
9-7X64-011	NT Authority\LocalService	Manual	Stopped
9-7X64-401A	NT Authority\LocalService	Manual	Stopped